



Scaffold Towers

Canadian Distributor of



Phone: (905) 668-3276

Fax: (905) 668-7276


Website: www.apmsystem.ca

Email: info@apmsystem.ca



Understanding Our Tower Numbers:

2DW6






2m (6') Single Width Aluminum Rolling Towers


2SW2

L= 1.91m
W= 0.74m
H= 2m




2SW4

L= 1.91m
W= 0.74m
H= 4m




2SW6

L= 1.91m
W= 0.74m
H= 6m



2SW8

L= 1.91m
W= 0.74m
H= 8m



Note:

*Towers are also available
in 3m (10') Length*

Part No.	Description	2m (6')	4m (13')	6m (20')	8m (26')
112	Scaffold Frame 2m SW	2	4	6	8
131	Guardrail Frame –SW	2	2	2	2
133	Guardrail Bracing Frame 2m	2			
201	Horizontal Brace-Scaffold 2m	2	5	5	5
211	Diagonal Brace-Scaffold 2m	4	4	6	5
301	Scaffold Board with Access Door 2m	2	1	2	2
404	Adjustable Leg 0.4m	4	4	4	4
411	Locking Caster 125mm	4	4		4
413	200mm Polyurethane non-marking thread			4	4
432	Telescopic Outrigger 2m		4		
433	Not Telescopic. Reinforced Outrigger			4	4
501	Wooden Toe Board 0.74m		2	2	2
502	Wooden Toe Board 1.35m	2			
503	Wooden Toe Board 2m	2	2	2	2

Note: L= Length, W= Width, H= Height, M= Metre




2m (6') Double Width Aluminum Rolling Towers

Contact today to find out more

Phone: (905) 668-3276

Email: info@apmsystem.ca



Part No.	Description	2m (6')	4m (13')	6m (20')	8m (26')	10m (32')	12m (39')
122	Scaffold Frame 2m DW	2	4	4	8	10	12
132	Guardrail Frame – DW	2	2	2	2	2	2
133	Guardrail Bracing Frame 2m	2					
201	Horizontal Brace-Scaffold 2m	2	8	5	6	6	6
211	Diagonal Brace-Scaffold 2m	4	8	4	16	20	24
301	Scaffold Board with Access Door 2m	2	2	1	3	4	4
404	Adjustable Leg 0.4m	4	4	4	4	4	4
411	Locking Caster 125mm	4		4			
413	200mm Polyurethane non-marking thread		4		4	4	4
432	Telescopic Outrigger 2m		4				
433	Telescopic Outrigger 2m			4	4	4	4
502	Wooden Toe Board 0.74m	2	2	2	2	2	2
503	Wooden Toe Board 2m	2	2	2	2	2	2







Note: L= Length, W= Width, H= Height, M= Metre



2.5m (8') Double Width Aluminum Rolling Towers

Note:

*Towers are also available
in 3m (10'), 5m (16'), and
7m (23') Height*



Part No.	Description	2m (6')	4m (13')	6m (20')	8m (26')	10m (32')	12m (39')
122	Scaffold Frame 2m DW	2	4	6	8	10	12
132	Guardrail Frame – DW	2	2	2	2	2	2
202	Guardrail Bracing Frame 2m		8	6	6	6	6
203	3m Long Horizontal brace	6					
212	2.5m Long Diagonal Brace		8	12	16	20	24
213	3m Long Diagonal Brace	4					
302	2.5m Long Trapdoor		2	3	3	4	4
303	3m Long Trapdoor	2					
404	Adjustable Leg 0.4m	4	4	4	4	4	4
411	Locking Caster 125mm	4					
413	200mm Polyurethane non-marking thread		4	4	4	4	4
432	Wooden Toe Board 1.35m		4				
433	Not Telescopic Reinforced Outrigger			4	4	4	4
502	Wooden Toe Board 1.35m	2	2	2	2	2	2
504	Wooden Toe Board 2.5m		2	2	2	2	2
505	Wooden Toe Board 3m	2					

Note: L= Length, W= Width, H= Height, M= Metre



Phone: (905) 668-3276

Fax: (905) 668-7276

Website: www.apmsystem.ca

Email: info@apmsystem.ca

Contact us today!

Note: L= Length, W= Width, H= Height, M= Metre